


D- α -Aminocyclohexylacetic acid

Cat. No.:	HY-42354		
CAS No.:	14328-52-0		
Molecular Formula:	C ₈ H ₁₅ NO ₂		
Molecular Weight:	157.21		
Target:	Amino Acid Derivatives		
Pathway:	Others		
Storage:	Powder	-20°C	3 years
		4°C	2 years
	In solvent	-80°C	6 months
		-20°C	1 month



SOLVENT & SOLUBILITY

In Vitro	H ₂ O : 3.33 mg/mL (21.18 mM; Need ultrasonic)				
		Solvent Concentration	Mass 1 mg	5 mg	10 mg
	Preparing Stock Solutions	1 mM	6.3609 mL	31.8046 mL	63.6092 mL
		5 mM	1.2722 mL	6.3609 mL	12.7218 mL
10 mM		0.6361 mL	3.1805 mL	6.3609 mL	
Please refer to the solubility information to select the appropriate solvent.					
In Vivo	1. Add each solvent one by one: PBS Solubility: 1 mg/mL (6.36 mM); Clear solution; Need ultrasonic and warming and heat to 60°C				

BIOLOGICAL ACTIVITY

Description	D- α -Aminocyclohexylacetic acid is a Glycine (HY-Y0966) derivative ^[1] .
In Vitro	Amino acids and amino acid derivatives have been commercially used as ergogenic supplements. They influence the secretion of anabolic hormones, supply of fuel during exercise, mental performance during stress related tasks and prevent exercise induced muscle damage. They are recognized to be beneficial as ergogenic dietary substances ^[1] . MCE has not independently confirmed the accuracy of these methods. They are for reference only.

REFERENCES

[1]. Luckose F, et al. Effects of amino acid derivatives on physical, mental, and physiological activities. Crit Rev Food Sci Nutr. 2015;55(13):1793-1144.

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: 609-228-6898

Fax: 609-228-5909

E-mail: tech@MedChemExpress.com

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA