Product Data Sheet

Inhibitors

•

Screening Libraries

•

Proteins

-20°C 1 month

SOLVENT & SOLUBILITY


acid

	Solvent Mass Concentration	1 mg	5 mg	10 mg
Preparing Stock Solu	1 mM	2.6564 mL	13.2820 mL	26.5640 mL
	5 mM	0.5313 mL	2.6564 mL	5.3128 mL
	10 mM	0.2656 mL	1.3282 mL	2.6564 mL


BIOLOGICAL ACTIVITY			
Description	(S)-2-((S)-2-Cyclohexyl-2-(pyrazine-2-carboxamido)acetamido)-3,3-dimethylbutanoic acid is a valine derivative ^[1] .		
In Vitro	Amino acids and amino acid derivatives have been commercially used as ergogenic supplements. They influence the secretion of anabolic hormones, supply of fuel during exercise, mental performance during stress related tasks and prevent exercise induced muscle damage. They are recognized to be beneficial as ergogenic dietary substances ^[1] . MCE has not independently confirmed the accuracy of these methods. They are for reference only.		

REFERENCES

[1]. Luckose F, et al. Effects of amino acid derivatives on physical, mental, and physiological activities. Crit Rev Food Sci Nutr. 2015;55(13):1793-1144.







Caution: Product has not been fully validated for medical applications. For research use only.

 Tel: 609-228-6898
 Fax: 609-228-5909
 E-mail: tech@MedChemExpress.com

 Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA