


DL-Cystine

Cat. No.:	HY-W013940		
CAS No.:	923-32-0		
Molecular Formula:	C ₆ H ₁₂ N ₂ O ₄ S ₂		
Molecular Weight:	240.29		
Target:	Amino Acid Derivatives		
Pathway:	Others		
Storage:	Powder	-20°C	3 years
		4°C	2 years
	In solvent	-80°C	6 months
		-20°C	1 month



SOLVENT & SOLUBILITY

In Vitro

H₂O : 10 mg/mL (41.62 mM; ultrasonic and warming and adjust pH to 12 with 1M NaOH and heat to 60°C)

Concentration	Mass		
	1 mg	5 mg	10 mg
1 mM	4.1616 mL	20.8082 mL	41.6164 mL
5 mM	0.8323 mL	4.1616 mL	8.3233 mL
10 mM	0.4162 mL	2.0808 mL	4.1616 mL

Please refer to the solubility information to select the appropriate solvent.

BIOLOGICAL ACTIVITY

Description

DL-Cystine is a cysteine derivative^[1].

In Vitro

Amino acids and amino acid derivatives have been commercially used as ergogenic supplements. They influence the secretion of anabolic hormones, supply of fuel during exercise, mental performance during stress related tasks and prevent exercise induced muscle damage. They are recognized to be beneficial as ergogenic dietary substances^[1]. MCE has not independently confirmed the accuracy of these methods. They are for reference only.

REFERENCES

[1]. Luckose F, et al. Effects of amino acid derivatives on physical, mental, and physiological activities. Crit Rev Food Sci Nutr. 2015;55(13):1793-807.

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: 609-228-6898

Fax: 609-228-5909

E-mail: tech@MedChemExpress.com

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA