


L-Norvaline ethyl ester HCl

Cat. No.:	HY-75949
CAS No.:	40918-51-2
Molecular Formula:	C ₇ H ₁₆ ClNO ₂
Molecular Weight:	181.66
Target:	Amino Acid Derivatives
Pathway:	Others
Storage:	4°C, sealed storage, away from moisture * In solvent : -80°C, 6 months; -20°C, 1 month (sealed storage, away from moisture)



HCl

SOLVENT & SOLUBILITY

In Vitro	DMSO : 100 mg/mL (550.48 mM; Need ultrasonic)				
		Solvent Concentration	Mass 1 mg	5 mg	10 mg
	Preparing Stock Solutions	1 mM	5.5048 mL	27.5239 mL	55.0479 mL
		5 mM	1.1010 mL	5.5048 mL	11.0096 mL
		10 mM	0.5505 mL	2.7524 mL	5.5048 mL
Please refer to the solubility information to select the appropriate solvent.					
In Vivo	<ol style="list-style-type: none"> Add each solvent one by one: 10% DMSO >> 40% PEG300 >> 5% Tween-80 >> 45% saline Solubility: ≥ 2.5 mg/mL (13.76 mM); Clear solution Add each solvent one by one: 10% DMSO >> 90% (20% SBE-β-CD in saline) Solubility: ≥ 2.5 mg/mL (13.76 mM); Clear solution Add each solvent one by one: 10% DMSO >> 90% corn oil Solubility: ≥ 2.5 mg/mL (13.76 mM); Clear solution 				

BIOLOGICAL ACTIVITY

Description	L-Norvaline ethyl ester HCl is a valine derivative ^[1] .
In Vitro	Amino acids and amino acid derivatives have been commercially used as ergogenic supplements. They influence the secretion of anabolic hormones, supply of fuel during exercise, mental performance during stress related tasks and prevent exercise induced muscle damage. They are recognized to be beneficial as ergogenic dietary substances ^[1] . MCE has not independently confirmed the accuracy of these methods. They are for reference only.

REFERENCES

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: 609-228-6898

Fax: 609-228-5909

E-mail: tech@MedChemExpress.com

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA