


(S)-3-(((9H-Fluoren-9-yl)methoxy)carbonyl)amino)-4-(allyloxy)-4-oxobutanoic acid

| | | | |
|---------------------------|---|-------|----------|
| Cat. No.: | HY-W017069 | | |
| CAS No.: | 144120-53-6 | | |
| Molecular Formula: | C ₂₂ H ₂₁ NO ₆ | | |
| Molecular Weight: | 395.41 | | |
| Target: | Amino Acid Derivatives | | |
| Pathway: | Others | | |
| Storage: | Powder | -20°C | 3 years |
| | | 4°C | 2 years |
| | In solvent | -80°C | 6 months |
| | | -20°C | 1 month |



SOLVENT & SOLUBILITY

| | | | | | |
|---|---|--------------------------|--------------|------------|------------|
| In Vitro | DMSO : 100 mg/mL (252.90 mM; Need ultrasonic) | | | | |
| | | Solvent Concentration | Mass 1 mg | 5 mg | 10 mg |
| | Preparing Stock Solutions | 1 mM | 2.5290 mL | 12.6451 mL | 25.2902 mL |
| | | 5 mM | 0.5058 mL | 2.5290 mL | 5.0580 mL |
| 10 mM | | 0.2529 mL | 1.2645 mL | 2.5290 mL | |
| Please refer to the solubility information to select the appropriate solvent. | | | | | |
| In Vivo | <ol style="list-style-type: none"> Add each solvent one by one: 10% DMSO >> 40% PEG300 >> 5% Tween-80 >> 45% saline Solubility: ≥ 1.43 mg/mL (3.62 mM); Clear solution Add each solvent one by one: 10% DMSO >> 90% (20% SBE-β-CD in saline) Solubility: ≥ 1.43 mg/mL (3.62 mM); Clear solution Add each solvent one by one: 10% DMSO >> 90% corn oil Solubility: ≥ 1.43 mg/mL (3.62 mM); Clear solution | | | | |

BIOLOGICAL ACTIVITY

| | |
|--------------------|--|
| Description | (S)-3-(((9H-Fluoren-9-yl)methoxy)carbonyl)amino)-4-(allyloxy)-4-oxobutanoic acid is an aspartic acid derivative ^[1] . |
| In Vitro | <p>Amino acids and amino acid derivatives have been commercially used as ergogenic supplements. They influence the secretion of anabolic hormones, supply of fuel during exercise, mental performance during stress related tasks and prevent exercise induced muscle damage. They are recognized to be beneficial as ergogenic dietary substances^[1].</p> <p>MCE has not independently confirmed the accuracy of these methods. They are for reference only.</p> |

REFERENCES

[1]. Luckose F, et al. Effects of amino acid derivatives on physical, mental, and physiological activities. Crit Rev Food Sci Nutr. 2015;55(13):1793-1144.

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: 609-228-6898

Fax: 609-228-5909

E-mail: tech@MedChemExpress.com

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA